

Conti Strip

Pull out reinforcement

A simple and cost effective method of providing reinforcement connection across concrete joints. The system comprises pre-bent reinforcing bars within a steel casing. The unit is cast into the first pour and when the contractor is ready remove the lid and bend out the starter bars.




Improving choice, quality and service

Conti Strip


Pull out reinforcement

Installation

- 1 Set up formwork for first pour
- 2 Secure continuity strip by nailing to formwork or wiring to reinforcement
- 3 Pour concrete



- 4 Strip formwork
- 5 Remove exposed lid from Continuity Strip
- 6 Bend out starter bars and lap into the reinforcement for second pour



call Miers on



St Neots 01480 702222 Airdrie 01698 907101 Warrington 01925 202128
e sales@miersconstructionproducts.co.uk w www.miersconstructionproducts.co.uk

Conti Strip

Pull out reinforcement


Advantages

- Simplifies formwork design and accelerates pour schedules
- No need to damage formwork by drilling or cutting
- Starter bars are housed within their case until ready for use, leaving a safer working environment on site
- Easy to use
- Forms a rebate in the joint, giving better shear connection



Stock sizes


Type	Case Width	Stirrup Width "W"	Stirrup Height "H"	Bar Size	Centres	Lap Length "L"
Hook Bar						
CS85T12150	85	-	170	T12	150	480
CS85T12200	85	-	170	T12	200	480
CS11T16150	110	-	170	T16	150	640
CS11T16200	110	-	170	T16	200	640
U Bars		"W"	"H"			"L"
CS140T12150	140	120	170	T12	150	480
CS140T12200	140	120	170	T12	200	480
CS160T12150	160	140	170	T12	150	480
CS160T12200	160	140	170	T12	200	480
CS190T12150	190	160	170	T12	150	480
CS190T12200	190	160	170	T12	200	480
CS190T16150	190	160	170	T16	150	640
CS190T16200	190	160	170	T16	200	640
CS240T12150	240	220	170	T12	150	480
CS240T12200	240	220	170	T12	200	480
CS240T16150	240	220	170	T16	150	640
CS240T16200	240	220	170	T16	200	640



All dimensions in millimetres

call Miers on

St Neots 01480 702222 Airdrie 01698 907101 Warrington 01925 202128
 e sales@miersconstructionproducts.co.uk w www.miersconstructionproducts.co.uk



Conti Strip

Pull out reinforcement

Order Form for Special Boxes


Enquiry Order

Date _____

Company _____ Contact person _____

Project _____ Delivery date _____

Phone _____ Fax _____



Special Type	Bar in mm	Distance in cm	Dimensions				Box Length in m	Number of elements
			b	h	l	v		

Branches

St Neots t 01480 702222 f 01480 702223
Airdrie t 01698 907 101 f 01698 907 102
Warrington t 01925 202 128 f 01925 202 129

Head Office

Hawkesden Road, St Neots, Cambs PE19 1QS

t 01480 702222

f 01480 702223

e sales@miersconstructionproducts.co.uk

www.miersconstructionproducts.co.uk